

Message

---

**From:** Wilson, Jennifer [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DFD5F8786F6F49D7AB4C9C7AB817C2FD-JWILSO02]  
**Sent:** 9/30/2018 3:24:21 PM  
**To:** Baltazar, Debbie [baltazar.debbie@epa.gov]  
**Subject:** RE: Signed Gen X Letter

Hi Debbie,

Thank you for the reply and that sounds like a good plan.

Also, sorry for the slow reply. I had a lot of work on Friday for the detail and I didn't have a chance to respond to some e-mails.

Have a good weekend,  
Jenny

---

**From:** Baltazar, Debbie  
**Sent:** Thursday, September 27, 2018 6:01 PM  
**To:** Wilson, Jennifer <wilson.jenniferA@epa.gov>  
**Cc:** Holst, Linda <holst.linda@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>  
**Subject:** Re: Signed Gen X Letter

Thanks, Jenny for sharing this with me.

Since OEPA is cc'd, the letter instructs samples be sent to them, and this is an ongoing issue, I'm inclined not to send it to Butler but assume his own staff will keep him informed.

On Sep 27, 2018, at 4:58 PM, Wilson, Jennifer <wilson.jenniferA@epa.gov> wrote:

Hi Debbie,

I should have included you since Linda is out of the office. Sorry. You should probably send this to Craig Butler, Ohio EPA Director, so he is aware that this went out.

Thank you,  
Jenny

---

**From:** Wilson, Jennifer  
**Sent:** Thursday, September 27, 2018 4:57 PM  
**To:** Holst, Linda <holst.linda@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Harris, Kimberly <harris.kimberly@epa.gov>; Clark, Jacqueline <clark.jacqueline@epa.gov>  
**Subject:** FW: Signed Gen X Letter

Hi All,

Attached is the GenX letter that went to Chemours. Linda, I already sent this to the Drinking Water Managers at Ohio EPA as well as Gene Phillips at Ohio Department of Health. However, you may want to send this to the Ohio EPA Director, Craig Butler.

Have a good night,  
Jenny

---

**From:** Reinhart, Roger

**Sent:** Thursday, September 27, 2018 7:46 AM

**To:** rogers, rick <[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)>; Wilson, Jennifer <[wilson.jenniferA@epa.gov](mailto:wilson.jenniferA@epa.gov)>

**Cc:** Rowsey, Kevin <[rowsey.kevin@epa.gov](mailto:rowsey.kevin@epa.gov)>; Konfirst, Matthew <[konfirst.matthew@epa.gov](mailto:konfirst.matthew@epa.gov)>; Bennett, James <[bennett.james@epa.gov](mailto:bennett.james@epa.gov)>; Duchovnay, Andrew <[Duchovnay.Andrew@epa.gov](mailto:Duchovnay.Andrew@epa.gov)>

**Subject:** FW: Signed Gen X Letter

Hi Jenny,

Attached is the signed letter to Chemours requesting a third (and continuing) quarterly monitoring of GenX in specified water supplies around their Washington Works facility. Could you please pass this along to your contacts in Region 5 and Ohio? Thanks.

Roger

<Gen X - Andrew Hartten.pdf>